± 4/ 7

Amendments to the Claims

This listing of claims replaces all prior versions and listings of claims in the aboveidentified application.

Claims 1-15 (cancelled).

- 16(new) A method of adding one or more objects to a painted canvas comprising:
 - a) preparing a painted canvas,
 - b) preparing a masking paper that has a hollow space of the desired objects,
 - c) placing a blank transferring paper inside a base pan,
 - d) moisturizing the blank transferring paper to form a film of water,
 - e) depositing one or multiple flowing colors on the wetted blank transferring paper,
 - f) directing the flowing colors to flow freely and mix with each other,
 - g) placing the masking paper on the top of the transferring paper,
 - h) placing the painted canvas on the top of the masking paper wherein the painted side of the painted canvas faces the masking paper and the transferring paper, and
 - i) transferring the flowing colors from the transferring paper to the painted canvas:

wherein the flowing colors is a mixture of an oil-based pigment and an oil in a ratio from about 1:1 to about 5:1 (pigment: oil);

wherein the painted canvas comprising steps of:

- a) placing a blank canvas inside a base pan,
- b) optionally, securing each edge of the background canvas to the base pan with tapes,
- c) moisturizing the blank canvas to form a film of water,
- d) depositing one or multiple flowing colors on the wetted blank canvas,
- e) directing the flowing colors to flow freely and mix with each other,
- f) move the base pan to direct the flowing colors into various directions to form desired shape or image, and
- (g) allowing the flowing colors to dry.

- 17(new) A method of adding one or more objects to a painted canvas comprising:
 - a) preparing a painted canvas,
 - b) preparing a masking paper,
 - c) placing the painted canvas in a base pan wherein the painted side faces up,
 - d) placing a masking paper on the top of the painted canvas,
 - e) moisturizing a surface of the masking paper evenly,
 - f) depositing flowing colors on the wet surface of the masking paper, and
 - g) allowing the flowing colors over the hollow space;

wherein the flowing colors is a mixture of an oil-based pigment and an oil in a ratio from about 1:1 to about 5:1 (pigment : oil);

wherein the painted canvas comprising steps of:

- a) placing a blank canvas inside a base pan,
- b) optionally, securing each edge of the background canvas to the base pan with tapes,
- c) moisturizing the blank canvas to form a film of water,
- d) depositing one or multiple flowing colors on the wetted blank canvas,
- e) directing the flowing colors to flow freely and mix with each other,
- f) move the base pan to direct the flowing colors into various directions to form desired shape or image, and
- (g) allowing the flowing colors to dry.
- 18(new) A method according to claim 16 wherein the flowing colors is a mixture of an oil-based pigment and an oil in a ratio about 4:2 (pigment : oil).
- 19(new) A method according to claim 17 wherein the flowing colors is a mixture of an oil-based pigment and an oil in a ratio about 4:2 (pigment: oil).
- 20(new) A method according to claim 18 wherein the oil-based pigment is Enamel.
- 21(new) A method according to claim 19 wherein the oil-based pigment is Enamel.

- 22(new) A method according to claim 18 wherein the oil is mineral oil, vegetable oil, synthetic oil, or animal and vegetable fats soluble in various organic solvents.
- 23(new) A method according to claim 19 wherein the oil is mineral oil, vegetable oil, synthetic oil, or animal and vegetable fats soluble in various organic solvents.
- 24(new) The oil of claim 18 which is mineral oil.
- 25(new) The oil of claim 19 which is mineral oil.